| | Туре | L # | Hits | Search Text |
|----|------|-----|--------|--|
| 1 | BRS | L3 | 0 | 2 and (sensor detector transducer) |
| 2 | BRS | L4 | 0 | 1 and (sensor detector transducer) |
| 3 | BRS | Ll | 13 | "6622377" "6575535" "6574865" "6485187" "6408669" |
| 4 | BRS | L5 | 177651 | bearing.clm. |
| 5 | BRS | L6 | 14665 | 5 and (seal).clm. |
| 6 | BRS | L7 | 755 | 6 and (sensor detector transducer).clm. |
| 7 | BRS | L8 | 53 | 7 and (spindle).clm. |
| 8 | BRS | L9 | 16 | 8 and (hub).clm. |
| 9 | BRS | L10 | 3 | 9 and (roller).clm. |
| 10 | BRS | L11 | 1461 | 5 and (inboard).clm. |
| 11 | BRS | L12 | 1016 | 11 and (outboard).clm. |
| 12 | BRS | L13 | 33 | 12 and (sensor detector transducer).clm. |
| 13 | BRS | L15 | 1 | 14 and (hub).clm. |
| 14 | BRS | L14 | 4 | 13 and (spindle).clm. |
| 15 | BRS | L16 | 3 | 14 and (hub) |
| 16 | BRS | L17 | 19824 | bearing near2 seal |
| 17 | BRS | L18 | 887 | 17 and (sensor detector transducer).clm. |
| 18 | BRS | L19 | 51 | 18 and (spindle).clm. |
| 19 | BRS | L20 | 29 | 19 and (hub) |
| 20 | BRS | L21 | 5 | 20 and (roller) |

| | DBs | Time Stamp | Comm nts | Error Definition | Erro rs |
|----|---------------------------------------|---------------------|----------|------------------|------------|
| 1 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:46 | | | 0 |
| 2 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:45 | | | 0 |
| 3 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:46 | | | 0 |
| 4 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:46 | | | 0 |
| 5 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:46 | | | 0 |
| 6 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:04 | | | 0 |
| 7 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:49 | | | 0 |
| 8 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:49 | | | 0 |
| 9 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:52 | | | 0 |
| 10 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:48 | | | 0 |
| 11 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:49 | | | 0 |
| 12 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:49 | | | 0 |
| 13 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:49 | | | 0 |
| 14 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:52 | | | 0 |
| 15 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:52 | | | 0 |
| 16 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:51 | | | 0 |
| 17 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:51 | | | 0 |
| 18 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:52 | | | 0 |
| 19 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 10:52 | | | 0 |
| 20 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:03 | | | 0 |

| | Туре | L# | Hits | S arch Text |
|----|------|-----|--------|---|
| 21 | BRS | L22 | 970323 | inboard near3 bearing seal |
| 22 | BRS | L23 | 969918 | 22 and outboard near3 bearing seal |
| 23 | BRS | L24 | 129 | inboard near3 bearing near3 seal |
| 24 | BRS | L25 | 37 | 24 and outboard near3 bearing near3 seal |
| 25 | BRS | L27 | 9 | 26 and roll\$4 |
| 26 | BRS | L29 | 3 | 28 and (temperature) |
| 27 | BRS | L28 | 9 | 27 and (raceway) |
| 28 | BRS | L2 | 4 | 1 and (seal) |
| 29 | BRS | L26 | 13 | 25 and (sensor detector transducer) |

| | DBs | Time Stamp | Comments | Error Definition | Erro rs |
|----|---------------------------------------|---------------------|----------|------------------|------------|
| 21 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:03 | | | 0 |
| 22 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:03 | | | 0 |
| 23 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:03 | | | 0 |
| 24 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:03 | | | 0 |
| 25 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:04 | | | 0 |
| 26 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:05 | | | 0 |
| 27 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:17 | | | 0 |
| 28 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:25 | | | 0 |
| 29 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/08 11:25 | | | 0 |